S.C. UNILAB S.R.L.
Str. I. G. Duca, nr.16 B, Otopeni, Ilfov;
CUI: RO14159236; J23/3712/2008; Capital social: 100.000 lei
Cont: RO04 RNCB 0076 0294 1110 0001 deschis la BCR
Tel: 031 822 03 06; Fax: 031 631 03 77
www.unilab.ro; email: office@unilab.ro

UNILAB
LABORATOR DE ANALIZE FIZICO CHIMICE SI MICROBIOLOGICE

acreditat pentru ÎNCERCARE
RENAR
SR EN ISO/IEC 17025:2018
CERTIFICAT DE ACREDITARE LI 1058

Autorizatie ANSVSA: nr. 19

Administrator,
Biolog Gianina Barbuta

BULETIN DE ANALIZA - TEST REPORT

Nr: 28446 **Data emiterii:** 19.09.2026

Client/Adresa **Client/Address**	**SC OCEANUL INDIAN SRL** Str. Elena Vacarescu nr.74, Bl.XXI 2, Ap.1, Parter, Cam.2, Bucuresti, Sector 1
Beneficiar/Adresa **Beneficiary/Address**	**SC OCEANUL INDIAN SRL-PL 2 LICEUL FRANCEZ** Bucuresti-Ploiesti, nr. 160A, Sector 1, Bucuresti
Tipul probei **Sample type**	Preparate culinare gata de consum

Denumire proba **Sample name**	**Cantitate** **Quantity**	**Lot** **Batch**	**Data fabricatie** **Manufacture date**	**Data expirare** **Expiration date**
BUTTER CICKEN	5x233 g	_	16.09.2026	17.09.2026

Descriere proba **Sample description**	**Formatul probei/ ambalaj/ descriere/ prezentare produs/ Appearance:** Caserola carton etichetata corespunzator. **Furnizor / Producer:** **Produs in / Produced in:** - **EAN:** - **Sigiliu /Seal:** - **Stampila sanitara / Sanitary stamp:** -

Analize solicitate **Required analysis**	**Microbiologie** **Microbiology**	**Fizico-chimie** **Phisico-chemistry**	**Examen organoleptic** **Sensory examination**	**Subcontractare** **Subcontracted analysis**
	Listeria monocytogenes	-	-	-

Recoltare probe **Sampling**	**Data/Date:** - **Locatie/Location:** Beneficiar **Responsabil/Responsible:** Beneficiar **Temperatura/Temperature:** - (°C)
Receptie probe **Sample receiving**	**Data/Date:** 16.09.2026 **Temperatura/Temperature:** 3.60 (°C)
Comanda analize **Demand analysis**	Nr.: -/16.09.2026
Alte informatii **Other information**	Contextul prelevarii: Produse introduse pe piata.

Nu este permisa reproducerea partiala a buletinului de analiza fara acordul SC Unilab SRL. Falsificarea acestui document se pedepseste in conformitate cu legislatia in vigoare.
Partial reproduction of test report without Unilab Ltd. agreement is forbidden. This document forgery is punishable in accordance with the law.

EXAMEN MICROBIOLOGIC / MICROBIOLOGICAL EXAMINATION :

Parametru (LOD/LOQ) Parameter (LOD/LOQ)	Esantion Sample	Rezultat Result	U.M.	Metoda de analiza Analysis method	Valori admise Permissible values m	M	Legislatie aplicabila Applicable legislation	Perioada analizare Testing period
Listeria monocytogenes	A - 1	< 10	ufc / g	SR EN ISO 11290-2:2017	-	100	Reg. (CE) 2073/2005 cu modif. si completarile ulterioare (3); (n=5, c=0).	17.09.2026 - 19.09.2026
	B - 2	< 10						
	C - 3	< 10						
	D - 4	< 10						
	E - 5	< 10						

Abrevieri, simboluri / Abbreviations, symbols:

U.M	unitate de masura / unit
m	limita minima a intervalului / interval minimum limit
M	limita maxima a intervalului / interval maximum limit
n	numarul de esantioane care constituie proba / number of units comprising the sample.(conform Reg. (CE) nr.2073/2005 si Ord. 27/2011 cu modificarile si completarile ulterioare / according to Reg.(CE) nr.2073/2005 and Ord . 27/2011 with subsequent amendments)
c	numarul de esantioane care pot avea valori intre m si M / the number of samples that can be set between m and M (conform Reg. (CE) nr.2073/2005 si Ord. 27/2011 cu modificarile si completarile ulterioare / according to Reg . (CE) nr.2073 / 2005 and Ord . 27/2011 with subsequent amendments)
LOD	limita de detectie / detection limit
LOQ	limita de cuantificare / quatification limit
Ma log	media aritmetica logaritmica zilnica / daily arithmetical logarithmic average
EAN	numar european de articol / european article number

Observatii/ Notes

- 1) Analize neacoperite de acreditarea RENAR (conform ISO 17025) . Pentru detalii suplimentare, solicitati certificatul de acreditare la adresa de email „office@unilab.ro” . / Analyses uncovered by RENAR accreditation. For more details, ask for accreditation certificate at email adress „office@unilab.ro”
- 2) Limite aplicabile la sfarsitul procesului de fabricatie/tehnologic / Applicable limits at the end of the production process / technology .
- 3) Limite aplicabile pentru produse introduse pe piata in timpul perioadei de conservare/Applicable limits to products placed on the market, during shelflife.
- 4) Limite aplicabile pentru produse prelevate in timpul procesului de fabricatie/tehnologic./ Applicable limits to products takenmduring the production process / technology .
- 5) Limite aplicabile inainte ca produsul sa fi iesit de sub controlul producatorului. / Applicable limits before the product has left the manufacturer's control.
- 6) Limite aplicabile pentru carcase dupa preparare, dar inainte de refrigerare. / Applicable limits to carcasses after preparation, but before refrigeration.
- 7) Limite aplicabile pentru carcase dupa refrigerare./ Applicable limits to carcasses before refrigeration.
- 8) Pentru a putea determina valori mai mici de 10 ufc/g s-a utilizat un volum de diluant mai mic (20 ml diluant/10g produs) / To determine values below10 cfu / g it was used a lower diluent volume (20 ml diluent / 10 g product).
- 9) Concluziile si interpretarile continute de prezentul buletin de analiza nu sunt acoperite de acreditarea RENAR / Conclusions and interpretations contained in this test report are not covered by RENAR accreditation.
- 10) Conductivitate citita la temperatura de referinta de 20°C. / Conductivity read at 20°C, reference temperature.
- Rezultatele si interpretarile analizelor se refera strict la proba testata / The results and interpretations refers only to the tested sample.
- Prezentul buletin de analiza a fost emis in format electronic. / This test report was issued in electronic format.
- Numarul buletinului de analiza coincide cu numarul de inregistrare al probei in Registrul de Primire Probe (RPP). / The test report number correspond with the sample registration number in the Receipt Samples Register (RPP).
- Operatiunea de prelevare a probelor nu face obiectul activitatii laboratorului, aceasta responsabilitate revenind beneficiarului. /The sampling operation is not subject to the laboratory's activity, this responsibility resting to the beneficiary.
- Laboratorul Unilab nu isi asuma raspunderea pentru diferentele calitative existente intre proba analizata si produsele comercializate de beneficiar. / Unilab laboratory assumes no liability for existing qualitative differences between the analyzed sample and the products sold by the beneficiary.
- Factorul de extindere pentru incertitudinea de masurare declarata este k=2, la un nivel de incredere de 95%. / The extension factor for the declared mesurement uncertainty is k = 2, at 95% confidence level.
- In prezentul document sunt utilizate semnaturi olografe electronie / In this document are used electronic holographic signatures.

Analisti / Analysts,

Ing. ind. alim. Iustina Stoica

Ing. ind. alim. Joiman Luminita

Ing. bioteh. Ioana Iordache

Sef laborator / Laboratory chief,
Loctiitor sef lab., Biolog Gianina Barbuta

Analist calitate / Quality analyst,
Ioana Costache

Nu este permisa reproducerea partiala a buletinului de analiza fara acordul SC Unilab SRL. Falsificarea acestui document se pedepseste in conformitate cu legislatia in vigoare.
Partial reproduction of test report without Unilab Ltd. agreement is forbidden. This document forgery is punishable in accordance with the law.

S.C. UNILAB S.R.L.
Str. I. G. Duca, nr.16 B, Otopeni, Ilfov;
CUI: RO14159236; J23/3712/2008; Capital social: 100.000 lei
Cont: RO04 RNCB 0076 0294 1110 0001 deschis la BCR
Tel: 031 822 03 06; Fax: 031 631 03 77
www.unilab.ro; email: office@unilab.ro

acreditat pentru ÎNCERCARE
SR EN ISO/IEC 17025:2018
CERTIFICAT DE ACREDITARE
LI 1058

Autorizatie ANSVSA: nr. 19

Administrator,
Biolog Gianina Barbuta

BULETIN DE ANALIZA - TEST REPORT

Nr: 28447 **Data emiterii:** 20.09.2026

Client/Adresa **Client/Address**	**SC OCEANUL INDIAN SRL** Str. Elena Vacarescu nr.74, Bl.XXI 2, Ap.1, Parter, Cam.2, Bucuresti, Sector 1			
Beneficiar/Adresa **Beneficiary/Address**	**SC OCEANUL INDIAN SRL-PL 2 LICEUL FRANCEZ** Bucuresti-Ploiesti, nr. 160A, Sector 1, Bucuresti			
Tipul probei **Sample type**	Test sanitatie suprafete			
Denumire proba **Sample name**	**Cantitate** **Quantity**	**Lot** **Batch**	**Data fabricatie** **Manufacture date**	**Data expirare** **Expiration date**
TS-MASA LUCRU CARNE	1 buc.	100 cmp	-	-
Descriere proba **Sample description**	**Formatul probei/ ambalaj/ descriere/ prezentare produs/ Appearance:** Tub prelevare etichetat corespunzator. **Furnizor / Producer:** **Produs in / Produced in:** - **EAN:** - **Sigiliu /Seal:** - **Stampila sanitara / Sanitary stamp:** -			
Analize solicitate **Required analysis**	**Microbiologie** **Microbiology**	**Fizico-chimie** **Phisico-chemistry**	**Examen organoleptic** **Sensory examination**	**Subcontractare** **Subcontracted analysis**
	Bacterii coliforme, Numar total de germeni	-	-	-
Recoltare probe **Sampling**	**Data/Date:** - **Locatie/Location:** Beneficiar **Responsabil/Responsible:** Beneficiar **Temperatura/Temperature:** - (°C)			
Receptie probe **Sample receiving**	**Data/Date:** 16.09.2026 **Temperatura/Temperature:** 3.10 (°C)			
Comanda analize **Demand analysis**	Nr.: -/16.09.2026			
Alte informatii **Other information**	-			

Nu este permisa reproducerea partiala a buletinului de analiza fara acordul SC Unilab SRL. Falsificarea acestui document se pedepseste in conformitate cu legislatia in vigoare.
Partial reproduction of test report without Unilab Ltd. agreement is forbidden. This document forgery is punishable in accordance with the law.

EXAMEN MICROBIOLOGIC / MICROBIOLOGICAL EXAMINATION :

Parametru (LOD/LOQ) Parameter (LOD/LOQ)	Esantion Sample	Rezultat Result	U.M.	Metoda de analiza Analysis method	Valori admise Permissible values m	Valori admise Permissible values M	Legislatie aplicabila Applicable legislation	Perioada analizare Testing period
Bacterii coliforme	A - 1	Absent	ufc / 10 cmp	SR ISO 4831:2009	-	Absent	Ord. 976/1998	17.09.2026 - 19.09.2026
Numar total de germeni	A - 1	< 1 /10 cmp	ufc / cmp	SR EN ISO 4833-1:2014	-	2 ufc / cmp	Ord. 976/1998 (se accepta max. 20 ufc/cmp, daca B. coliforme sunt absente/10 cmp)	17.09.2026 - 20.09.2026

Abrevieri, simboluri / Abbreviations, symbols:

U.M	unitate de masura / unit
m	limita minima a intervalului / interval minimum limit
M	limita maxima a intervalului / interval maximum limit
n	numarul de esantioane care constituie proba / number of units comprising the sample.(conform Reg. (CE) nr.2073/2005 si Ord. 27/2011 cu modificarile si completarile ulterioare / according to Reg.(CE) nr.2073/2005 and Ord . 27/2011 with subsequent amendments)
c	numarul de esantioane care pot avea valori intre m si M / the number of samples that can be set between m and M (conform Reg. (CE) nr.2073/2005 si Ord. 27/2011 cu modificarile si completarile ulterioare / according to Reg . (CE) nr.2073 / 2005 and Ord . 27/2011 with subsequent amendments)
LOD	limita de detectie / detection limit
LOQ	limita de cuantificare / quatification limit
Ma log	media aritmetica logaritmica zilnica / daily arithmetical logarithmic average
EAN	numar european de articol / european article number

Observatii/ Notes

- 1) Analize neacoperite de acreditarea RENAR (conform ISO 17025) . Pentru detalii suplimentare, solicitati certificatul de acreditare la adresa de email „office@unilab.ro” . / Analyses uncovered by RENAR accreditation. For more details, ask for accreditation certificate at email adress „office@unilab.ro”
- 2) Limite aplicabile la sfarsitul procesului de fabricatie/tehnologic / Applicable limits at the end of the production process / technology .
- 3) Limite aplicabile pentru produse introduse pe piata in timpul perioadei de conservare/Applicable limits to products placed on the market, during shelflife.
- 4) Limite aplicabile pentru produse prelevate in timpul procesului de fabricatie/tehnologic./ Applicable limits to products takenmduring the production process / technology .
- 5) Limite aplicabile inainte ca produsul sa fi iesit de sub controlul producatorului. / Applicable limits before the product has left the manufacturer's control.
- 6) Limite aplicabile pentru carcase dupa preparare, dar inainte de refrigerare. / Applicable limits to carcasses after preparation, but before refrigeration.
- 7) Limite aplicabile pentru carcase dupa refrigerare./ Applicable limits to carcasses before refrigeration.
- 8) Pentru a putea determina valori mai mici de 10 ufc/g s-a utilizat un volum de diluant mai mic (20 ml diluant/10g produs) / To determine values below10 cfu / g it was used a lower diluent volume (20 ml diluent / 10 g product).
- 9) Concluziile si interpretarile continute de prezentul buletin de analiza nu sunt acoperite de acreditarea RENAR / Conclusions and interpretations contained in this test report are not covered by RENAR accreditation.
- 10) Conductivitate citita la temperatura de referinta de 20°C. / Conductivity read at 20°C, reference temperature.
- Rezultatele si interpretarile analizelor se refera strict la proba testata / The results and interpretations refers only to the tested sample.
- Prezentul buletin de analiza a fost emis in format electronic. / This test report was issued in electronic format.
- Numarul buletinului de analiza coincide cu numarul de inregistrare al probei in Registrul de Primire Probe (RPP). / The test report number correspond with the sample registration number in the Receipt Samples Register (RPP).
- Operatiunea de prelevare a probelor nu face obiectul activitatii laboratorului, aceasta responsabilitate revenind beneficiarului. /The sampling operation is not subject to the laboratory's activity, this responsibility resting to the beneficiary.
- Laboratorul Unilab nu isi asuma raspunderea pentru diferentele calitative existente intre proba analizata si produsele comercializate de beneficiar. / Unilab laboratory assumes no liability for existing qualitative differences between the analyzed sample and the products sold by the beneficiary.
- Factorul de extindere pentru incertitudinea de masurare declarata este k=2, la un nivel de incredere de 95%. / The extension factor for the declared mesurement uncertainty is k = 2, at 95% confidence level.
- In prezentul document sunt utilizate semnaturi olografe electronie / In this document are used electronic holographic signatures.

Analisti / Analysts,

Ing. ind. alim. Iustina Stoica

Teh. lab. Dima Mihaela

Ing. bioteh. Ioana Iordache

Sef laborator / Laboratory chief, Loctiitor sef lab., Biolog Gianina Barbuta

Analist calitate / Quality analyst, Ioana Costache

Nu este permisa reproducerea partiala a buletinului de analiza fara acordul SC Unilab SRL. Falsificarea acestui document se pedepseste in conformitate cu legislatia in vigoare.
Partial reproduction of test report without Unilab Ltd. agreement is forbidden. This document forgery is punishable in accordance with the law.

S.C. UNILAB S.R.L.
LABORATOR DE ANALIZE FIZICO CHIMICE SI MICROBIOLOGICE
Str. I. G. Duca, nr.16 B, Otopeni, Ilfov;
CUI: RO14159236; J23/3712/2008; Capital social: 100.000 lei
Cont: RO04 RNCB 0076 0294 1110 0001 deschis la BCR
Tel: 031 822 03 06; Fax: 031 631 03 77
www.unilab.ro; email: office@unilab.ro

acreditat pentru ÎNCERCARE
SR EN ISO/IEC 17025:2018
CERTIFICAT DE ACREDITARE LI 1058

Autorizatie ANSVSA: nr. 19

Administrator,
Biolog Gianina Barbuta

BULETIN DE ANALIZA - TEST REPORT

Nr: 28448 **Data emiterii:** 21.09.2026

Client/Adresa **Client/Address**	**SC OCEANUL INDIAN SRL** Str. Elena Vacarescu nr.74, Bl.XXI 2, Ap.1, Parter, Cam.2, Bucuresti, Sector 1			
Beneficiar/Adresa **Beneficiary/Address**	**SC OCEANUL INDIAN SRL-PL 2 LICEUL FRANCEZ** Bucuresti-Ploiesti, nr. 160A, Sector 1, Bucuresti			
Tipul probei **Sample type**	Test sanitatie maini			
Denumire proba **Sample name**	**Cantitate** **Quantity**	**Lot** **Batch**	**Data fabricatie** **Manufacture date**	**Data expirare** **Expiration date**
TS-MAINI ANGAJAT GEANTA ZANFIRA FLORINA	2 buc.	_	-	-
Descriere proba **Sample description**	**Formatul probei/ ambalaj/ descriere/ prezentare produs/ Appearance:** Tub prelevare etichetat corespunzator. **Furnizor / Producer:** **Produs in / Produced in:** - **EAN:** - **Sigiliu /Seal:** - **Stampila sanitara / Sanitary stamp:** -			
Analize solicitate **Required analysis**	**Microbiologie** **Microbiology**	**Fizico-chimie** **Phisico-chemistry**	**Examen organoleptic** **Sensory examination**	**Subcontractare** **Subcontracted analysis**
	Enterobacteriaceae , Staphilococ coagulazo-pozitiv	-	-	-
Recoltare probe **Sampling**	**Data/Date:** - **Locatie/Location:** Beneficiar **Responsabil/Responsible:** Beneficiar **Temperatura/Temperature:** - (°C)			
Receptie probe **Sample receiving**	**Data/Date:** 16.09.2026 **Temperatura/Temperature:** 3.10 (°C)			
Comanda analize **Demand analysis**	Nr.: -/16.09.2026			
Alte informatii **Other information**	-			

Nu este permisa reproducerea partiala a buletinului de analiza fara acordul SC Unilab SRL. Falsificarea acestui document se pedepseste in conformitate cu legislatia in vigoare.
Partial reproduction of test report without Unilab Ltd. agreement is forbidden. This document forgery is punishable in accordance with the law.

EXAMEN MICROBIOLOGIC / MICROBIOLOGICAL EXAMINATION :

Parametru (LOD/LOQ) Parameter (LOD/LOQ)	Esantion Sample	Rezultat Result	U.M.	Metoda de analiza Analysis method	Valori admise Permissible values m	M	Legislatie aplicabila Applicable legislation	Perioada analizare Testing period
Enterobacteriaceae (LOD=0,5 ufc/100 cmp)	A - 1	Nedetectat (<LOD)	ufc/tub prelevat	SR EN ISO 21528-1:2017	-	Absent	Ord. 976/1998	17.09.2026 - 19.09.2026
Staphilococ coagulazo-pozitiv	A - 1	Absent	ufc/tub prelevat	SR EN ISO 6888-3:2003; SR EN ISO 6888-3:2003/AC:2011	-	Absent	Ord. 976/1998	17.09.2026 - 21.09.2026

Abrevieri, simboluri / Abbreviations, symbols:

U.M	unitate de masura / unit
m	limita minima a intervalului / interval minimum limit
M	limita maxima a intervalului / interval maximum limit
n	numarul de esantioane care constituie proba / number of units comprising the sample.(conform Reg. (CE) nr.2073/2005 si Ord. 27/2011 cu modificarile si completarile ulterioare / according to Reg.(CE) nr.2073/2005 and Ord . 27/2011 with subsequent amendments)
c	numarul de esantioane care pot avea valori intre m si M / the number of samples that can be set between m and M (conform Reg. (CE) nr.2073/2005 si Ord. 27/2011 cu modificarile si completarile ulterioare / according to Reg . (CE) nr.2073 / 2005 and Ord . 27/2011 with subsequent amendments)
LOD	limita de detectie / detection limit
LOQ	limita de cuantificare / quatification limit
Ma log	media aritmetica logaritmica zilnica / daily arithmetical logarithmic average
EAN	numar european de articol / european article number

Observatii/ Notes

- 1) Analize neacoperite de acreditarea RENAR (conform ISO 17025) . Pentru detalii suplimentare, solicitati certificatul de acreditare la adresa de email „office@unilab.ro” . / Analyses uncovered by RENAR accreditation. For more details, ask for accreditation certificate at email adress „office@unilab.ro”
- 2) Limite aplicabile la sfarsitul procesului de fabricatie/tehnologic / Applicable limits at the end of the production process / technology .
- 3) Limite aplicabile pentru produse introduse pe piata in timpul perioadei de conservare/Applicable limits to products placed on the market, during shelflife.
- 4) Limite aplicabile pentru produse prelevate in timpul procesului de fabricatie/tehnologic./ Applicable limits to products takenmduring the production process / technology .
- 5) Limite aplicabile inainte ca produsul sa fi iesit de sub controlul producatorului. / Applicable limits before the product has left the manufacturer's control.
- 6) Limite aplicabile pentru carcase dupa preparare, dar inainte de refrigerare. / Applicable limits to carcasses after preparation, but before refrigeration.
- 7) Limite aplicabile pentru carcase dupa refrigerare./ Applicable limits to carcasses before refrigeration.
- 8) Pentru a putea determina valori mai mici de 10 ufc/g s-a utilizat un volum de diluant mai mic (20 ml diluant/10g produs) / To determine values below10 cfu / g it was used a lower diluent volume (20 ml diluent / 10 g product).
- 9) Concluziile si interpretarile continute de prezentul buletin de analiza nu sunt acoperite de acreditarea RENAR / Conclusions and interpretations contained in this test report are not covered by RENAR accreditation.
- 10) Conductivitate citita la temperatura de referinta de 20°C. / Conductivity read at 20°C, reference temperature.
- Rezultatele si interpretarile analizelor se refera strict la proba testata / The results and interpretations refers only to the tested sample.
- Prezentul buletin de analiza a fost emis in format electronic. / This test report was issued in electronic format.
- Numarul buletinului de analiza coincide cu numarul de inregistrare al probei in Registrul de Primire Probe (RPP). / The test report number correspond with the sample registration number in the Receipt Samples Register (RPP).
- Operatiunea de prelevare a probelor nu face obiectul activitatii laboratorului, aceasta responsabilitate revenind beneficiarului. /The sampling operation is not subject to the laboratory's activity, this responsibility resting to the beneficiary.
- Laboratorul Unilab nu isi asuma raspunderea pentru diferentele calitative existente intre proba analizata si produsele comercializate de beneficiar. / Unilab laboratory assumes no liability for existing qualitative differences between the analyzed sample and the products sold by the beneficiary.
- Factorul de extindere pentru incertitudinea de masurare declarata este k=2, la un nivel de incredere de 95%. / The extension factor for the declared mesurement uncertainty is k = 2, at 95% confidence level.
- In prezentul document sunt utilizate semnaturi olografe electronie / In this document are used electronic holographic signatures.

Analisti / Analysts,

Ing. ind. alim. Iustina Stoica

Ing. ind. alim. Joiman Luminita

Teh. lab. Dima Mihaela

Ing. bioteh. Ioana Iordache

Sef laborator / Laboratory chief, Loctiitor sef lab., Biolog Gianina Barbuta

Analist calitate / Quality analyst, Ioana Costache

Nu este permisa reproducerea partiala a buletinului de analiza fara acordul SC Unilab SRL. Falsificarea acestui document se pedepseste in conformitate cu legislatia in vigoare.
Partial reproduction of test report without Unilab Ltd. agreement is forbidden. This document forgery is punishable in accordance with the law.

S.C. UNILAB S.R.L.
Str. I. G. Duca, nr.16 B, Otopeni, Ilfov;
CUI: RO14159236; J23/3712/2008; Capital social: 100.000 lei
Cont: RO04 RNCB 0076 0294 1110 0001 deschis la BCR
Tel: 031 822 03 06; Fax: 031 631 03 77
www.unilab.ro; email: office@unilab.ro

UNILAB
LABORATOR DE ANALIZE FIZICO CHIMICE SI MICROBIOLOGICE

acreditat pentru ÎNCERCARE
RENAR
SR EN ISO/IEC 17025:2018
CERTIFICAT DE ACREDITARE LI 1058

Autorizatie ANSVSA: nr. 19

Administrator,
Biolog Gianina Barbuta

BULETIN DE ANALIZA - TEST REPORT

Nr: 28449 **Data emiterii:** 19.09.2026

Client/Adresa **Client/Address**	**SC OCEANUL INDIAN SRL** Str. Elena Vacarescu nr.74, Bl.XXI 2, Ap.1, Parter, Cam.2, Bucuresti, Sector 1
Beneficiar/Adresa **Beneficiary/Address**	**SC OCEANUL INDIAN SRL-PL 2 LICEUL FRANCEZ** Bucuresti-Ploiesti, nr. 160A, Sector 1, Bucuresti
Tipul probei **Sample type**	Apa potabila / Apa utilizata in fluxul tehnologic

Denumire proba **Sample name**	**Cantitate** **Quantity**	**Lot** **Batch**	**Data fabricatie** **Manufacture date**	**Data expirare** **Expiration date**
APA POTABILA ROBINET RETEA	1x500 ml	_	-	-

Descriere proba **Sample description**	**Formatul probei/ ambalaj/ descriere/ prezentare produs/ Appearance:** Recipient plastic steril cu tiosulfat de sodiu etichetat corespunzator. **Furnizor / Producer:** **Produs in / Produced in:** - **EAN:** - **Sigiliu /Seal:** - **Stampila sanitara / Sanitary stamp:** -

Analize solicitate **Required analysis**	**Microbiologie** **Microbiology**	**Fizico-chimie** **Phisico-chemistry**	**Examen organoleptic** **Sensory examination**	**Subcontractare** **Subcontracted analysis**
	Bacterii coliforme, Enterococi intestinali, Escherichia coli	-	-	-

Recoltare probe **Sampling**	**Data/Date:** 16.09.2026 **Locatie/Location:** Beneficiar **Responsabil/Responsible:** Beneficiar **Temperatura/Temperature:** - (°C)
Receptie probe **Sample receiving**	**Data/Date:** 16.09.2026 **Temperatura/Temperature:** 3.80 (°C)
Comanda analize **Demand analysis**	Nr.: -/16.09.2026
Alte informatii **Other information**	-

Nu este permisa reproducerea partiala a buletinului de analiza fara acordul SC Unilab SRL. Falsificarea acestui document se pedepseste in conformitate cu legislatia in vigoare.
Partial reproduction of test report without Unilab Ltd. agreement is forbidden. This document forgery is punishable in accordance with the law.

EXAMEN MICROBIOLOGIC / MICROBIOLOGICAL EXAMINATION :

Parametru (LOD/LOQ) Parameter (LOD/LOQ)	Esantion Sample	Rezultat Result	U.M.	Metoda de analiza Analysis method	Valori admise Permissible values m	M	Legislatie aplicabila Applicable legislation	Perioada analizare Testing period
Bacterii coliforme	A - 1	< 1	ufc / 100 ml	SR EN ISO 9308-1:2015 ; SR EN ISO 9308-1:2015 /A1:2017	-	0	Ordonanta nr. 7/2023 cu modif. si completarile ulterioare.	17.09.2026 - 18.09.2026
Enterococi intestinali	A - 1	< 1	ufc / 100 ml	SR EN ISO 7899-2:2002	-	0	Ordonanta nr. 7/2023 cu modif. si completarile ulterioare.	17.09.2026 - 19.09.2026
Escherichia coli	A - 1	< 1	ufc / 100 ml	SR EN ISO 9308-1:2015; SR EN ISO 9308-1:2015/A1:2017	-	0	Ordonanta nr. 7/2023 cu modif. si completarile ulterioare.	17.09.2026 - 18.09.2026

Abrevieri, simboluri / Abbreviations, symbols:

U.M	unitate de masura / unit
m	limita minima a intervalului / interval minimum limit
M	limita maxima a intervalului / interval maximum limit
n	numarul de esantioane care constituie proba / number of units comprising the sample.(conform Reg. (CE) nr.2073/2005 si Ord. 27/2011 cu modificarile si completarile ulterioare / according to Reg.(CE) nr.2073/2005 and Ord . 27/2011 with subsequent amendments)
c	numarul de esantioane care pot avea valori intre m si M / the number of samples that can be set between m and M (conform Reg. (CE) nr.2073/2005 si Ord. 27/2011 cu modificarile si completarile ulterioare / according to Reg . (CE) nr.2073 / 2005 and Ord . 27/2011 with subsequent amendments)
LOD	limita de detectie / detection limit
LOQ	limita de cuantificare / quatification limit
Ma log	media aritmetica logaritmica zilnica / daily arithmetical logarithmic average
EAN	numar european de articol / european article number

Observatii/ Notes

- 1) Analize neacoperite de acreditarea RENAR (conform ISO 17025) . Pentru detalii suplimentare, solicitati certificatul de acreditare la adresa de email „office@unilab.ro” . / Analyses uncovered by RENAR accreditation. For more details, ask for accreditation certificate at email adress „office@unilab.ro”
- 2) Limite aplicabile la sfarsitul procesului de fabricatie/tehnologic / Applicable limits at the end of the production process / technology .
- 3) Limite aplicabile pentru produse introduse pe piata in timpul perioadei de conservare/Applicable limits to products placed on the market, during shelflife.
- 4) Limite aplicabile pentru produse prelevate in timpul procesului de fabricatie/tehnologic./ Applicable limits to products takenmduring the production process / technology .
- 5) Limite aplicabile inainte ca produsul sa fi iesit de sub controlul producatorului. / Applicable limits before the product has left the manufacturer's control.
- 6) Limite aplicabile pentru carcase dupa preparare, dar inainte de refrigerare. / Applicable limits to carcasses after preparation, but before refrigeration.
- 7) Limite aplicabile pentru carcase dupa refrigerare./ Applicable limits to carcasses before refrigeration.
- 8) Pentru a putea determina valori mai mici de 10 ufc/g s-a utilizat un volum de diluant mai mic (20 ml diluant/10g produs) / To determine values below10 cfu / g it was used a lower diluent volume (20 ml diluent / 10 g product).
- 9) Concluziile si interpretarile continute de prezentul buletin de analiza nu sunt acoperite de acreditarea RENAR / Conclusions and interpretations contained in this test report are not covered by RENAR accreditation.
- 10) Conductivitate citita la temperatura de referinta de 20°C. / Conductivity read at 20°C, reference temperature.
- Rezultatele si interpretarile analizelor se refera strict la proba testata / The results and interpretations refers only to the tested sample.
- Prezentul buletin de analiza a fost emis in format electronic. / This test report was issued in electronic format.
- Numarul buletinului de analiza coincide cu numarul de inregistrare al probei in Registrul de Primire Probe (RPP). / The test report number correspond with the sample registration number in the Receipt Samples Register (RPP).
- Operatiunea de prelevare a probelor nu face obiectul activitatii laboratorului, aceasta responsabilitate revenind beneficiarului. /The sampling operation is not subject to the laboratory's activity, this responsibility resting to the beneficiary.
- Laboratorul Unilab nu isi asuma raspunderea pentru diferentele calitative existente intre proba analizata si produsele comercializate de beneficiar. / Unilab laboratory assumes no liability for existing qualitative differences between the analyzed sample and the products sold by the beneficiary.
- Factorul de extindere pentru incertitudinea de masurare declarata este k=2, la un nivel de incredere de 95%. / The extension factor for the declared mesurement uncertainty is k = 2, at 95% confidence level.
- In prezentul document sunt utilizate semnaturi olografe electronie / In this document are used electronic holographic signatures.

Analisti / Analysts,

Ing. ind. alim. Iustina Stoica

Teh. laborant Ionica Ungureanu

Sef laborator / Laboratory chief,
Loctiitor sef lab., Biolog Gianina Barbuta

Analist calitate / Quality analyst,
Ioana Costache

Nu este permisa reproducerea partiala a buletinului de analiza fara acordul SC Unilab SRL. Falsificarea acestui document se pedepseste in conformitate cu legislatia in vigoare.
Partial reproduction of test report without Unilab Ltd. agreement is forbidden. This document forgery is punishable in accordance with the law.